

Peak Health Summit Plans Medicare Part D Plan

Step Therapy Criteria  
*Last Updated 8/1/2026*

Products Affected

CONEXXENCE 60MG/ML SYRINGE

Details

---

|          |                                                                                                                                                                                                                                                                                |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Criteria | Step Therapy requires trial of one formulary bisphosphonate. Step not required for the treatment of: 1) Bone loss in men receiving androgen deprivation therapy for prostate cancer or 2) Bone loss in women receiving adjuvant aromatase inhibitor therapy for breast cancer. |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Products Affected**

febuxostat 40mg tab

**Details**

---

|          |                                                     |
|----------|-----------------------------------------------------|
| Criteria | Step Therapy requires trial of generic allopurinol. |
|----------|-----------------------------------------------------|

**Products Affected**

febuxostat 80mg tab

**Details**

---

|          |                                                     |
|----------|-----------------------------------------------------|
| Criteria | Step Therapy requires trial of generic allopurinol. |
|----------|-----------------------------------------------------|

## Products Affected

JUBBONTI 60MG/ML SYRINGE

## Details

---

|          |                                                                                                                                                                                                                                                                                |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Criteria | Step Therapy requires trial of one formulary bisphosphonate. Step not required for the treatment of: 1) Bone loss in men receiving androgen deprivation therapy for prostate cancer or 2) Bone loss in women receiving adjuvant aromatase inhibitor therapy for breast cancer. |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Products Affected

TRINTELLIX 10MG TAB

## Details

---

|          |                                                                                                                                                                                                                |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Criteria | Step therapy requires trial of one of the following generic antidepressants: escitalopram, sertraline, fluoxetine, citalopram, paroxetine, fluvoxamine, bupropion, venlafaxine, desvenlafaxine, or duloxetine. |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Products Affected

TRINTELLIX 20MG TAB

## Details

---

|          |                                                                                                                                                                                                                |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Criteria | Step therapy requires trial of one of the following generic antidepressants: escitalopram, sertraline, fluoxetine, citalopram, paroxetine, fluvoxamine, bupropion, venlafaxine, desvenlafaxine, or duloxetine. |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Products Affected

TRINTELLIX 5MG TAB

## Details

---

|          |                                                                                                                                                                                                                |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Criteria | Step therapy requires trial of one of the following generic antidepressants: escitalopram, sertraline, fluoxetine, citalopram, paroxetine, fluvoxamine, bupropion, venlafaxine, desvenlafaxine, or duloxetine. |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|